

piezoelectric sensor and actuators is mathematically modeled and analyzed. In order to secure the reliability of analysis results, the effect of transverse shear and rotary inertia are considered. Extended Galerkin method is adopted to obtain the discretized equations of motion. Variations of dynamic characteristics of composite shells with applied magnetic field, radius ratio, proportional control feedback gain, and stacking sequence are investigated.

ACKNOWLEDGEMENT

This work is supported by the Basic Science Research Program through the National Research Foundation of Korea (NRF) funded by the Ministry of Education, Science and Technology (No.2010-0024485).

REFERENCES

- Kim, S.K., Lee, K.W., Moon, J.K., Choi, J.W., Kim, Y.J., Park, S.Y. Song, O. S. (2011), "Dynamic characteristics of composite plate subjected to electromagnetic and thermal field," *KSNVE*, **22**(8),536-546.
- Moon, F.C., 1984, *Magneto-Solid Mechanics*, John Wiley and Sons, Ithaca, New York, 288-296.
- Qin, Z. and Hasanyan, D. (2011), "Fully non-linear magnetoelastic interactions of a circular cylindrical thin shell subject to electromagnetic fields," *International Journal of Non-Linear Mechanics*, **46**(2), 425-435.
- Qin, Z. (2010), "Magneto-thermo-elasticity of an electroconductive circular cylindrical shell featuring nonlinear deformations," *International Journal of Engineering Science*, **48**(12), 1797-1810.
- Tsai, Y.H. and Wu, C.P. (2008), "Dynamic responses of functionally graded magneto-electro-elastic shells with open-circuit surface conditions," *International Journal of Engineering Science*, **46**(9), 843-857.
- Yoon, G. H. (2010), "Topology optimization considering the couplings of electro-fluid-thermal-compliant micro actuator," *KSME*, 640-642.
- Soedel, W. (2004), *Vibrations of shells and plates* 3rd edition, Marcel Dekker Inc.
- Reddy J.N. (2004), *Mechanics of Laminated Composite Plates and Shells Theory and Analysis 2nd Edition*, CRC Press, New York.
- Reddy J.N. and Liu, C.F. (1985), "A higher-order shear deformation theory of laminated elastic shells," *International Journal of Engineering Science*, **23**(3), 319-330.