

























- Nagarajaiah, S., and Yang, Y. (2015) "Blind Modal Identification of Output-only Non-proportionally-damped Structures by Time-frequency Complex Independent Component Analysis," *Smart Structures and Systems*, 15(1): 81-97.
- Nagarajaiah, S., and Yang, Y. (2016) "Modeling and harnessing sparse and low-rank data structure: a new paradigm for structural dynamics, identification, damage detection, and health monitoring." *Structural Control and Health Monitoring*, doi: 10.1002/stc.1851.
- Stone, J.V. (2001). "Blind source separation using temporal predictability." *Neural Computation*, 13, 1559-1574.
- Yang, Y., and Nagarajaiah, S. (2013a). "Output-only modal identification with limited sensors using sparse component analysis." *Journal of Sound and Vibration*, 332(19), 4741-4765.
- Yang, Y., and Nagarajaiah, S. (2013b) "Time-frequency blind source separation using independent component analysis for output-only modal identification of highly-damped structures," *ASCE Journal of Structural Engineering* 139 1780-1793.
- Yang, Y., and Nagarajaiah, S. (2013c) "Blind modal identification of output-only structures in time domain based on complexity pursuit," *Earthquake Engineering and Structural Dynamics* 42 1885-1905.
- Yang, Y. and Nagarajaiah, S. (2014a). "Data compression of structural seismic responses using principled independent component analysis." *ASCE Journal of Structural Engineering*, 140(7), 04014032.
- Yang, Y. and Nagarajaiah, S. (2014b). "Blind denoising of structural responses with outliers via principal component pursuit." *Structural Control and Health Monitoring*, 21(6), 962-978.
- Yang, Y., and Nagarajaiah, S. (2014c) "Blind identification of damage in time-varying system using independent component analysis with wavelet transform," *Mechanical Systems and Signal Processing*, 47, 3-20.
- Yang, Y. and Nagarajaiah, S. (2014d). "Structural damage identification via a combination of blind feature extraction and sparse representation classification." *Mechanical Systems and Signal Processing*, 45(1), 1-23.
- Yang, Y., and Nagarajaiah, S. (2015a). "Output-only modal identification by compressed sensing: non-uniform low-rate random sampling." *Mechanical Systems and Signal Processing*, 56: 15-34.
- Yang, Y., and Nagarajaiah, S. (2015b). "Data compression of very large-scale structural seismic and typhoon vibration responses by low-rank representation with matrix reshape," *Structural Control and Health Monitoring*, DOI: 10.1002/stc.1737.
- Yang, Y. and Nagarajaiah, S. (2015c). "Dynamic imaging: real-time detection of local structural damage with blind separation of low-rank background and sparse innovation." *ASCE Journal of Structural Engineering*, DOI: 10.1061/(ASCE)ST.1943-541X.0001337.
- Yang, Y., Li, S., Nagarajaiah, S., Li, H., and Zhou, P. (2015). "Real-time output-only identification of time-varying cable tension via complexity pursuit." *ASCE Journal of Structural Engineering*, DOI: 10.1061/(ASCE)ST.1943-541X.0001334.